No.



9400197

# HALBUMKHED SHAYHES OF AMIRRIGA

TO ALL TO WHOM THESE PRESENTS SHALL COME:
Minnesota Agricultural Experiment Station

Thereas, there has been presented to the

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, therefore, this certificate of plant variety protection is to grant unto the said applicant(s) and the successors, heirs or assigns of the said applicant(s) for the term of twenty years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, or importing it, or exporting it, or conditioning it for propagation, or stocking it for any of the above purposes, or using it in producing a hybrid or different righty therefrom, to the extent provided by the Plant Variety Protection Act. in inited States seed of this variety (1) shall be sold by variety name only as a class of seed and (2) shall conform to the number of generations specified by the owner of the stat. 1542, as amended, 7 u.s.c. 2321 et seq.)

SOYBEAN

'Faribault'

In Vestimonn Murror, I have hereunto set my hand and caused the seal of the Munt Inviety Protection Office to be affixed at the City of Washington, D.C. this thirtieth day of November in the year of our Lord one thousand nine hundred and ninety-live.

Marsha A. Stanson

Plant Variety Protection Office Agricultural Warketing Service

rotary of Agriculture

U.S. DEPARTMENT O AGRICULTURAL MAR SCIENCE D	Application is required in order determine if a plant variety protecti certificate is to be issued (7 U.S.	on		
	S ON REVERSE)	TION CERTIFICATE	2421). Information is held confident until certificate is issued (7 U.S.C. 2426	tial
<ol> <li>NAME OF APPLICANT(S) (as it is to appear on the Certificate)</li> <li>Minnesota Agricultural Experiment</li> </ol>		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NO. M86-1322	3 VARIETY NAME Faribault	<del> </del>
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP) University of Minnesota 220 Coffey Hall 1420 Eckles Avenue St. Paul, MN 55108		5. PHONE (include area code) (612) 625-4211	PVPO NUMBER 9400197  PDate 10,1994	
6. GENUS AND SPECIES NAME Glycine max  8. CROP KIND NAME (Common Name)	7. FAMILY NAME (E Legumino			
Soybean  10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM association, etc.)  State Agricultural Expe			Gerificate Fee:  \$ 300.00	194
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S).  J.H. Orf  Department of Agronomy and Plant G University of Minnesota 1991 Upper Buford Circle St. Paul, MN 55108  14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBM  a Exhibit A, Origin and Breeding History of the Variety	enetics, 41	1 Borlaug Hall  PHONE (include area code): (		<u> </u>
b. ☐ Exhibit B, Novelty Statement c. ☐ Exhibit C, Objective Description of Variety d. ☐ Exhibit D, Additional Description of Variety e. ☐ Exhibit E, Statement of the Basis of Applicant's Owr f. ☐ Seed Sample (2,500 viable untreated seeds). Date \$ g. ☐ Filing and Examination Fee (\$2,325) made payable t	Seed Sample mailed o "Treasurer of the	Jnited States*	· · · · · · · · · · · · · · · · · · ·	
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VAR Plant Variety Protection Act) YES (If "YES," answer ite	IETY BE SOLD BY V oms 16 and 17 belo	ARIETY NAME ONLY AS A CLASS OF w) \( \bigcap \) NO (If "NO," skip to item		
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?  XYES NO  18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION  YES (If "YES," through Plant Variety Protection X NO	OF THE VARIETY I	[X] FOUNDATION [X] REG	GISTERED XI CERTIFIED	
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR S  YES (If "YES," GIVE NAMES OF COUNTRIES AND DATI  NO	SALE, OR MARKETE ES)	D IN THE U.S. OR OTHER COUNTRIE	HES?	
20. The applicant(s) declare(s) that a viable sample of basic seeds such regulations as may be applicable.  The undersigned applicant(s) is (are) the owner(s) of this sexuall in section 41, and is entitled to protection under the provisions.  Applicant(s) is (are) informed that false representation herein care.	y reproduced novel pof section 42 of the	plant variety, and believe(s) that the va Plant Variety Protection Act.		h
SIGNATURE OF APPLICANT [Owner(s)]		CAPACITY OR TITLE	DATE	_
Muchael hearter		Associate Dean	May 23, 1994	
SIGNATURE OF APPLICANT (Owner(s))		CAPACITY OR TITLE	DATE	

#### Exhibit A

### Origin and Breeding History of Faribault Soybean

'Faribault' soybean traces to the F<sub>5</sub> progeny of a F<sub>4</sub> plant harvested from a population that had been advanced by a modified single seed descent procedure from the cross M75-2 x L77-906. M75-2 has the pedigree Hodgson (4) x [M67-141 x (Chippewa x Higan)]. M67-141 is a selection from the cross Corsoy x Wayne. L77-906 has the pedigree Williams x PI 209332. Bulked seed of the F<sub>5</sub> row was designed M86-1322 and was tested for SCN resistance in the greenhouse and field against soybean cyst nematode race 3 in 1986 (F<sub>6</sub>). M86-1322 was yield tested in 1987 (F<sub>7</sub>) in Minnesota. Subsequent tests of strain M86-1322 were conducted in Minnesota in the F<sub>8</sub> (1988) and F<sub>9</sub> (1989). In the F<sub>8</sub> (1988) M86-1322 was entered in the maturity group I prelim SCN Regional Test. In 1989 (F<sub>9</sub>) M86-1322 was entered in the group I SCN regional test. In the F<sub>9</sub> generation 50 typical plants were harvested individually to initiate purification for observable traits including reaction to race 1 of phytophthora root rot and race 3 of soybean cyst nematode. In the 1990, thirty-nine rows were grown for purification purposes. Fifteen rows appeared uniform for plant and seed characteristics including resistance to race 1 of phytophthora root rot and had very low cyst indices using race 3 of soybean cyst nematode, therefore seed of these rows were bulked to provide breeder's seed. In the  $F_{10}$  (1990),  $F_{11}$  (1991),  $F_{12}$  (1992) and  $F_{13}$  (1993) M86-1322 was tested in the Uniform Regional Soybean Test Maturity Group I. In the  $F_{11}$  (1991) a small increase of breeders seed was made. In the F<sub>12</sub> (1992), Foundation seed was produced by the Minnesota Foundation Seed Organization. In the  $F_{13}$  (1993) seed was increased and M86-1322 was approved for release as Faribault. On February 15, 1994, seed of Faribault was released to registered and/or certified growers in Minnesota. No off type variants were noted in the seed multiplication process of Faribault over three generations. This variety breeds true and meets certification standards.

#### Exhibit B

#### **Novelty Statement**

'Faribault' soybean is most similar to 'Alpha' soybean. Faribault has approximately the same maturity as Alpha. Yields of Faribault and Alpha are similar. Faribault is about three inches shorter than Alpha. Seed of Faribault is about 0.7 grams per 100 seed smaller than Alpha. Faribault has about 2.1 percent lower protein and 2.1% higher oil than Alpha. Faribault carries the Rps1 gene for phytophthora resistance while Alpha carries no major gene for phytophthora resistance (it is susceptible). Faribault has white flowers while Alpha has purple flowers. Faribault was gray pubescence while Alpha has tawny pubescence. Seed of Faribault has buff hila while seed of Alpha has yellow hila.

Data comparing Faribault and Alpha is taken from the Uniform Test I, Northern States 1990-91 (a total of 28 environments for most traits).

Variety	Date mature	Yield bu/a	Height inches	Lodging score	Seed Quality score	Seed Size g/100	Protein %	Oil %
Faribault	9/15	46,4	34	2.4	2.3	14.1	39.9	21.7
Alpha	9/15	46.2	37	2.7	2.1	14.8	42.0	19.6

ACT: NWR NO 0281-0022

#### PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

# OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)				<u> </u>
Minnesota Agricultural Experiment S	Station M86-		aribault	E. 4
ADDRESS (Street and No., or R.F.D. No., City, State, and University of Minnesota	Zip Codel		FOR OFFICE	AL USE ONLY
220 Coffey Hall, 1420 Eckles Avenue St. Paul, MN 55108	e		9400	197
Choose the appropriate response which characterizes in your answer is fewer than the number of boxes pro Started characters ** are considered fundamental to an when information is available.  1. SEED SHAPE:	n adequate soybean	n the first have been a	mmhariciO or law	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Bongste (L/T ratio > 1.2; T/W = < 1.2)	(u)   T   2-Sp 4-E6	herical Flattened (L/W ra ongste Flattened (L/T ra	rtio > 1.2: L/T-ratio	1.7/4 m Tr 2.14 5 = ₹ -1.21 1.21
2. SEED COAT COLOR: (Mature Seed)				
1 = Yellow 2 = Green 3 = Brown	4 ~ Black	5 = Other (Specify	d <u>.</u>	
3. SEED COAT-LUSTER: (Mature Hand Shelled Seed)			<u> </u>	
1 = Duft ("Corsoy 79"; "Braxton") 2 = Shiny:	"Nebsoy"; "Gasoy 17"]			* * * * * * * * * * * * * * * * * * *
4. SEED SIZE: (Mature Soed)	**************************************			
1 4 Grams per 100 seeds				1. g
5. HILUM COLOR: (Mature Seed)		100	•	
1 = Buff 2 = Yellow 3 = Brown	4 = Gray	m Imperfect Black	6 = Black	7 - Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)				a. t
1 = Yellow 2 = Green				
7. SÉED PROTEIN PEROXIDASE ACTIVITY:	· · · · · · · · · · · · · · · · · · ·			
2 1 = Low 2 = High			1	
8. SEED PROTEIN ELECTROPHORETIC BAND:	<u> </u>			
2 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP	<sup>1</sup> p)		·	
9. HYPOCOTYL COLOR:		-		<u> </u>
1 = Green only ('Evans'; 'Davis') 2 = Green 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 4 = Dark Purple extending to unifoliate leaves ('Hodg	n with bronze band bek 71") son": "Coker Hampton 2		rth"; "Tracy")	
0. LEAFLET SHAPE:				
3 1 = Lanceolate 2 = Oval 3 = O	vate 4 = Othe	r (Specify)		

Stem Canker (Diaporthe phaseolorum var. caulivora)

FORM LICE AND TO ST

· 19.	DISÈA	SĒRĖACTIO	N:-(Enter 0 = Not-	Tested; 1 = Susceptible; 2	millarietant ICana				
			SES: (Continued)	manufacture of the state of	Trestand (Conto	Georgia	e egy menget til glike g	, -	
, <b>*</b>	0	Pod and Su	em Blight <i>(Dizporthe</i>	: pluseolorum var; sojae)					
	0	Purple Seed	Stain (Cercospora k	ikuchii)	•		· · · · · · · · · · · · · · · · · · ·		
•	0	Rhizoctonia	Root Rot (Rhizoct	onia solani)					
		Phytophtho	a Rot <i>(Phytopht</i> ha	ra megasperma var. sojaej					
4	2		0		7 6	7			
		Race 1	Race 2	Rece 3	Race 4	Race 5	Race 6	Race 7	
	ات ا	Race 8		Other (Specify)	2 Japan Curo				
		AL DISEASES	×. ~	ng n	•				
		Bud Blight (	Tobacco Ringspot V	irus) Liter 2 941 *					
	0	Yellow:Mos	sic (Bean Yellow Mo	ssic Virus]	÷			· ·	
*		Cowpea Mos	aic (Cowpea Chloro	tic Virus)					
• •	0	Pod Mottle (	Bean Pod Mottle Vid	rus)	•				
*	0	Seed Mottle	(Soybean Mosaic Vi	rus)		•			
	NEMA	ATODE DISE	ASES:			٠.			
us*		Soybean Cys	t Nemztode (Hetero	dera glycines)					
*	0	Race 1	0 Race 2	2 Race 3 0	Race 4	Other (Spec	cily)		
•	0	Lance Nema	tode (Hoplolaimus C	combus!	ئ <u>ىس</u>				
*	0	Southern Ro	ot Knot Nematode (	Meloidogyne incognitul			e e		
*	$\equiv$			Meloidogyne Hapla]					
	0	Peanut Root	Knot Nematode (Me	eloidogyne arenaria)		· · · · .			
		Reniform Ne	matode (Rotylenchu	lus reniformis)	•	•		·	
			EASE NOT ON FOR						
	<u> </u>								
20. P	HYSIOI	LOGICAL RE	SPONSES: (Enter 0	= Not Tested; 1 = Susce	rtible: 2 = Resirtantl			· · · · · · · · · · · · · · · · · · ·	
*	1		on Calcareous Soil						
		Other (Specif			•		÷		
							<u> </u>	<u> </u>	
21. IC				ed; 1 = Susceptible; 2 = R	esistant)				
		Mexican Bean	Beede (Epilachna v.	nivestis)					
Potato Leaf Hopper (Empoasca fabae)									
l l		Other (Specify	/I				<u> </u>	<u> </u>	
22. IN	DICAT	E WHICH VA	RIETY MOST CLO	SELY RESEMBLES THA	T SUBMITTED.	<del></del> .			
	CHARA			OF VARIETY	CHARACTE	R	NAME C	OF VARIETY	
Pla	int Shap	e	Alpha		Seed Coat Lust	er	Hardin		
Le	af Shape	•	Alpha		Seed Size		Alpha		
(c	af Color		Alpha		Seed Shape		Alpha		
Le:	af Size		Alpha		Seedling Pigmer	ntation	Parker		

# 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

· ·										
VARIETY	NO OF DAYS MATURITY	PLANT LODGING	1	LEAFLET SIZE		SEED CONTENT		SEEO SIZE G/100	NO.	
Faribault		SCORE	HEIGHT	CM Width -	CM Length	X Protein	× oit	SEEDS	SEEDS/	
Submitted	121	2.4	86	81	122	39.9	21.7	14.1	2.4	
Alpha Name of Similar Variety	121	2.7	94	80	119	42.0	19.6	14.8	2.4	
PUBLICATIO	MS USFÉUI	AS SEC.	1							

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morrie. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

### Exhibit E

## Statement of the Basis of Ownership

The Minnesota Agricultural Experiment Station is the owner of Faribault soybean. The Minnesota Agricultural Experiment Station of the University of Minnesota is the employer of the breeder who developed Faribault.